



# Cabinets4U

## DOUBLE BASE CABINET ASSEMBLY INSTRUCTIONS




- (A)** Base End Panel
- (B)** Top/Bottom Panel
- (C)** Back Panel
- (D)** Shelf
- (E)** Top Rail
- (F)** Door




## STEP - 1

Insert all cams (**Blue**) and pins (**Red**) into their corresponding holes on parts **A**, **B**, **C**, **E**.




## STEP - 2

Align **Part A** with **Part B**, ensuring that the cams and pins are properly positioned. Once aligned, insert them together and lock the cams securely with a screwdriver.




## STEP - 3

Align **Part E** with **Part A**, connecting them through the cam and pin system. After they are properly aligned and fully joined, lock the cams securely with a screwdriver.




## STEP - 4

Align **Part C** with **Part A**, connecting them via the cam and pin system. Once aligned and fully inserted, tighten the cams with a screwdriver to secure the connection.




## STEP - 5

Align the second **Part A** with the assembled structure, using the cam and pin system. Once properly aligned and fully connected, secure the cams by tightening them with a screwdriver.




## STEP - 6

insert shelf studs




## STEP - 7

Screw leg boss in place.




## STEP - 8

Insert adjustable legs into leg boss




## STEP - 9

Slide shelf D into position




## STEP - 10

Attach the hinge mounting plates, ensuring the flat side faces the front of the cabinet, and secure them with screws.



## STEP - 11

Ensure the hinge arm is at **90 degrees** to the door before fixing in position with **15mm** screws as shown



## STEP - 12

Hinge adjustment

